

MİRACHEM INDUSTRIIES

B-310, Virwani Industrial Estate Off Western Express Highway Goregaon (East), Mumbai - 400 063. India Tel.: +91 22 42417575 / 29271378

Email: admin@mirachemindustries.com mirachem@bom5.vsnl.net.in mirachemindustries@gmail.com

www.mirachemindustries.com

Fax: +91 22 42417550

MIRASOFT - N

Mirasoft - N is a softening agent which confers softness and body to cellulosic fibres and their blends with synthetic fibres

- Produces a soft and supple handle
- Imparts full soft handle without yellowing, therefore suitable for finishing of white goods
- Can be applied by padding as well as exhaust method
- Has no effect on the shade or light fastness of dyeing
- Can be used in conjunction with all thermosetting resins.

Properties:

Appearance : Off White paste

Chemical Nature : Fatty acid condensation product

Ionic Nature : Nonionic
Solubility : Dispersible
pH (2%solution) : 8.5 – 9.5

Compatibility : Compatible practically with all products used in finishing

Suitability for white goods: Suitable

Influence on dyed goods

Shade : Virtually no changeFastness properties : Virtually no influence

Storage Stability : Stable for 6 months if stored in a cool & dry place.

Method of Application:

Mirasoft - N can be applied by both exhaust and padding method. The concentration would depend on type of fibre and the effect desired. It is applied as a self-finish or in combination with other finishing chemicals and optical brightening agents.

The concentrations to be used are:

Exhaust Method

Mirasoft – N \rightarrow 2 – 3%

Padding Method

Mirasoft – N \rightarrow 30 – 40 g/l (with 70 – 80% pick up)



MIRACHEM INDUSTRIES

B-310, Virwani Industrial Estate Off Western Express Highway Goregaon (East), Mumbai - 400 063. India Tel.: +91 22 42417575 / 29271378 www.mirachemindustries.com Email: admin@mirachemindustries.com mirachem@bom5.vsnl.net.in mirachemindustries@gmail.com

General safety instructions

The usual hygiene and safety rules for handling chemicals should be observed in storage, handling and use. The product should not be swallowed. For further information, please consult existing safety data sheet

Fax: +91 22 42417550

Note:

The data contained in this communication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. Responsibility for compliance with the requirements of the downstream textile market rests with the textile processor.