



MIRACHEM INDUSTRIES

B-310, Virwani Industrial Estate
Off Western Express Highway
Goregaon (East), Mumbai - 400 063, India
Tel.: +91 22 42417575 / 29271378
Fax: +91 22 42417550

www.mirachemindustries.com
Email:
admin@mirachemindustries.com
mirachem@bom5.vsnl.net.in
mirachemindustries@gmail.com

TURBOSOFT – HPS

Turbosoft – HPS is a specialty low yellowing finishing softener for imparting softness with hydrophilicity and antistatic effect

- Provides inner softness with unique cool, natural and dry handle to all types of fabric
- Non-yellowing
- Most suitable for **terry towels and knitwear's**
- Can be applied both by exhaust and padding techniques.
- No change in the tone of dyed fabric after finishing

Properties:

Appearance	: Colourless viscous liquid
Chemical Nature	: Amino modified polysiloxane
Ionic Nature	: Nonionic
Solubility	: Soluble
pH (2% solution)	: 5.0 ± 1.0
Stability	: Resist to hard water
Compatibility	: Compatible with all products used in finishing
Storage Stability	: Stable for 3 months if stored in a cool & dry place (Not sensitive to frost)

Method of Application:

Turbosoft – HPS can be applied both by exhaust and pad technique followed by drying and curing.

Recommended dosage

- Exhaust method

Turbosoft – HPS	→	2.0 – 4.0 % (o.w.f)
Accent – 1001	→	2.0 – 5.0 % (o.w.f)
- Padding method

Turbosoft – HPS	→	25.0 – 40.0 g/l
Accent – 1001	→	20.0 – 50.0 g/l

General safety instructions

The usual hygiene and safety rules for handling chemicals should be observed in storage, handling and use. The product should not be swallowed. For further information, please consult existing safety data sheet.

Note :

The data contained in this communication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. Responsibility for compliance with the requirements of the downstream textile market rests with the textile processor.