



# MIRACHEM INDUSTRIES

B-310, Virwani Industrial Estate  
Off Western Express Highway  
Goregaon (East), Mumbai - 400 063, India  
Tel.: +91 22 42417575 / 29271378  
Fax: +91 22 42417550

www.mirachemindustries.com  
Email:  
admin@mirachemindustries.com  
mirachem@bom5.vsnl.net.in  
mirachemindustries@gmail.com

## MIRAFIN – B

**Mirafin - B** is a versatile vinyl based resin compound specially designed to impart soft feel and body to the textile fabrics

- Imparts durable fullness & softness on all textile fabrics

### **Properties:**

Appearance	: White liquid
Chemical Nature	: Aqueous dispersion of vinyl resin
Ionic Nature	: Nonionic
Solubility	: Dispersible
pH (2% solution)	: $6.0 \pm 1.0$
Compatibility	: Compatible with all products used in finishing
Storage Stability	: Stable for 3 months if stored in a cool & dry place (Not sensitive to frost)

### **Method of Application:**

The dosage to be used for finishing depends upon the type of fabric and the finish desired.

1. For 100% cotton (Rubia, shirting etc.)

<b>Mirafin – B</b>	→	20 – 30 g/l
<b>Mirapret – R</b>	→	80 – 90 g/l
MgCl <sub>2</sub>	→	3 – 5 g/l
<b>Tobler – PB</b>	→	10 – 20 g/l
<b>Mirasoft – PE</b>	→	20 – 30 g/l
Pad – cure @ 160 <sup>0</sup> C – 170 <sup>0</sup> C		

2. For P/C or P/V dress material

<b>Mirafin – B</b>	→	25 – 45 g/l
<b>Tobler – PB</b>	→	20 – 40 g/l
<b>Silk Touch</b>	→	20 – 35 g/l
Pad – cure @ 180 <sup>0</sup> C		

### **General safety instructions:**

The usual hygiene and safety rules for handling chemicals should be observed in storage, handling and use.

The product should not be swallowed. For further information, please consult existing safety data sheet.

**Note :** The data contained in this communication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. Responsibility for compliance with the requirements of the downstream textile market rests with the textile processor.