



Turbofil – YS provides yarns with an excellent gliding properties. Yarns treated with **Turbofil – YS** have a low friction coefficient.

Salient Features:

- **Turbofil – YS** is an excellent yarn lubricating agent and can be applied by bath exhaustion process after dyeing.

- **Turbofil – YS** provides yarn with optimal gliding properties.

- **Turbofil – YS** treated yarn has a low friction coefficient.





Properties:

Appearance	: White to off white liquid
Chemical Nature	: Based on Waxes.
Ionic Nature	: Nonionic.
Solubility	: Dispersible in cold water.
pH (2% solution)	: 5.0 ± 1.0
Stability	: Resist to hard water
Compatibility with	: Nonionic and cationic products.
Storage Stability	: Stable for 6 months. (When stored in a cool & dry place)





TECHNICAL LITERATURE


TURBOFIL – YS

Method of Application:

Recommended Dosage

Turbofil – YS → 1.5 – 3.5 % (o.w.y.)

pH → 5.0 – 6.0 (With Eco Acid M)



Circulation : 3 mins. inside – out side and
3 mins. outside – inside





MIRACHEM INDUSTRIES

B-310, Virwani Industrial Estate
Off Western Express Highway
Goregaon (East), Mumbai - 400 063. India
Tel.: +91 22 42417575 / 29271378
Fax: +91 22 42417550

www.mirachemindustries.com
Email:
admin@mirachemindustries.com
mirachem@bom5.vsnl.net.in
mirachemindustries@gmail.com

TECHNICAL LITERATURE

TURBOFIL – YS

General safety instructions:

General safety rules for handling chemicals should be observed in storage, handling and use. The product should not be swallowed. For further information, please consult existing safety data sheet.

Note :

The data contained in this communication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. Responsibility for compliance with the requirements of the downstream textile market rests with the textile processor.

Contact Information:

Mirachem Industries

B – 310, Virwani Industrial Estate,
Off. Western Express Highway,
Goregaon (East),
Mumbai – 400 063.

INDIA

Tel: +91 – 22 – 4241 7575 1378

Fax: +91 – 22 – 4241 7550

E – mail: mirachem@bom5.vsnl.net.in

URL: www.mirachemindustries.com

